

Crown Heavy-Duty Deep Cycle Batteries. Heavy-Duty Construction. Heavy-Duty Performance.

• Heavy-Duty Construction

Crown deep cycle batteries are the heavyweight of the industry. More weight means more lead, which translates into batteries that work and last longer.

• Tough Connectors

Machine burned, heavy-duty TTP (through-the-partition), COS (cast-on strap) and terminal post connectors deliver maximum efficiency and durability.

• Polypropylene Case & Cover

Durable container design includes a removable handle feature for easy installation and safe handling

• Anchor-Molded Terminal


Crown golf batteries molded in-cover terminal affords superior durability, problem-free installation and best-available corrosion protection to deliver maximum productivity and safe handling.

• Z³ Plate Construction

- Advanced bottom-plate

Crown's Z^3 design combines three integrated features for superior performance and durability:

- Our signature "Diamond Z" grid architecture
 Centerline plate lug design with LifePlus™
- Centerline plate lug design with LifePlus active material



Premium Flex-Sil® Plate Protection

Flex-Sil separators' micro-ribbed, fiberglass-backed design enables superior running time and extended cycle life performance with reduced watering service frequency.

Battery Specifications

BCI Group	Model Number	Voltage	Electrical Capacity			Physical Specifications							Product	
			20 Hr Ah	5 Hr Ah	RC Min	L	Inches W	Н	L	lillimete W	rs H	Wei Lbs	ight Kgs	Footnotes
6, 8 & 12 VOLT COMMERCIAL DEEP CYCLE BATTERIES														
GC2	CR-180	6	180	165	90 @ 75	10.25	7.13	10.75	260	181	273	55	25	GJK
	CR-200	6	200	175	105 @ 75	10.25	7.13	10.75	260	181	273	60	27	EJK
	CR-225	6	225	185	115 @ 75	10.25	7.13	10.75	260	181	273	63	29	EJK
	CR-235	6	235	195	125 @ 75	10.25	7.13	10.75	260	181	273	68	31	EJK
GC2H	CR-245	6	245	215	145 @ 75	10.25	7.13	11.50	260	181	292	73	33	EJK
GC8	CR-165	8	165	140	75 @ 75	10.31	7.13	10.75	262	181	273	64	29	GJK
	CR-190	8	190	155	85 @ 75	10.31	7.13	10.75	262	181	273	66	30	GJK

Available Terminals









Key

- **E** = Standard (Dual SAE / Stainless Threaded Terminal)
- **G** = Stainless Steel Threaded Stud Terminal Only
- **J** = Battery Fitted with Handle or Lifting Lug
- **K** = Antimonial Construction - Low Maintenance Battery

The Power Behi<mark>nd P</mark>erformance



1445 Majestic Drive • P.O. Box 990 Fremont, OH 43420-0990 USA 419-334-7181 • Fax 419-334-7124 www.crownbattery.com

sales@crownbattery.com



CR-180



CR-200



CR-225



CR-235



CR-245



CR-165